

# Cleanmark Resin Enhanced Wax

## High Performance Wax Thermal Transfer Ribbon



Food/Beverage



Health/Beauty



Logistics



Retail



The printhead cleaner *built in* your ribbon.

### Benefits

- Easy to use, no printer adjustments
- Dark images with solid fill and no show-through
- Prints on a wide range of tag and label stocks
- High speed printing for high efficiency
- Sharp text and lines for highly readable barcodes
- Resin-enhanced provides good scratch and smudge resistance
- Anti-static formula and unique backcoat protects the printhead
- Clean Start® built-in printhead cleaner maintains print quality

### Recommended Stocks

#### Paper

- Vellum
- Matte Coated
- Semi-Gloss
- Gloss
- Floodcoats

#### Synthetics

- PP / Polypropylene
- PE / Polyethylene
- Polyolefin (e.g. Tyvek)

### Applications

- Autobag
- Compliance labeling
- Component identification
- Hang tags
- Ingredient lists
- Prepared foods
- Prime label
- Product identification
- Shipping
- Warehousing
- Work in Process (WIP)

### Key Product Range

STANDARD WAX	ENHANCED WAX	WAX RESIN	RESIN
GoMark 100	Cleanmark Easimark III Go-Label Color	FastMark	Ultraplate II PrintGuard

### Technical Specifications

Color Code Tab .....	Clear
Film Thickness .....	4.5 Microns
Total Ribbon Thickness .....	8.6 Microns
Transmission Density .....	2.70 MacBeth Scale
Ink Melting Point .....	65°C / 149°F

### Imaging Characteristics

Printer .....	Flathead
Max Print Speed .....	14 IPS (355 mm/s)
Image Darkness .....	1.9 RD (densitometer)

### Compliance

- REACH – SVHC Free
- RoHS/WEEE
- California Proposition 65
- Additional Regulatory Requirements Upon Request

### Sample SKUs

Part # CES11075 – 110 mm x 50 m – CSI  
Part # CES11074 – 110 mm x 50 m – CSO

### Storage Conditions

12 months recommended  
20-85% Relative Humidity Rate, 23-104°F (-5-40°C)

### Performance Ratings

